

# Bianca Fixed Bath Spout 200mm

# **Nero**




Versions:202405




## Installation Instruction

#### **GENERAL INSTRUCTIONS:**

- This product must be installed by a licensed plumber. Ensure that your plumbing installation conforms to the Australian/New Zealand Standard AS/NZS 3500.
- All pipework must be thoroughly flushed prior to the installation of the mixer. In-line filters must be fitted on both hot and cold supplies to prevent foreign particles from damaging the ceramic cartridge.
- All outlets used primarily for personal hygiene must deliver water at a safe temperature in accordance with regional regulations.




1. Trim the G1/2 outlet thread to be flush with the finished wall surface.



2. Remove the G1/2 spout adapter from the spout.

Attach the G1/2 spout adapter to the outlet thread, ensuring that the rubber washer is properly seated inside the adapter as illustrated in the figure.



- 3. Fit the back plate onto the spout adapter.
- 4. Place the ABS washer against the backplate.
- 5. Push the spout onto the spout adapter.

### MAINTENANCE AND CARE:

- Regularly check the mixer and connections for signs of wear or leaks.
- Clean the tap with mild soapy water to maintain its appearance, avoiding harsh chemicals and abrasive materials that may damage the finish.

### FINAL INSPECTION:

- Ensure the tap operates smoothly and that there are no leaks at the connections.
- Clean the area and the newly installed tap with a soft cloth to remove any installation residues.



